

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicants:	Kenji WATARI et al.	Confirmation:	4696
Serial No.:	10/577,387	Art Unit:	1797
Filed:	April 26, 2006	Examiner:	D. Mellon
For:	Hollow fiber membrane module, hollow fiber membrane module unit, and water treatment method		

**Supplemental IDS**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**February 3, 2010**

Sir:

Further to Applicants' RCE and IDS filed herein on February 2, 2010, Applicants request the Examiner to consider the following U.S. Applications and the prior art cited therein. It is understood that the Examiner will have electronic access to the prior art from such application files.

1. U.S. Appln. 11/581,566 (now U.S. Patent No. 7,491,329); and
2. U.S. Appln. 11/087,593 (now U.S. Patent No. 7,294,267).

Applicants intend for the Examiner to consider independently the prior art from the above-mentioned file histories.

If the Examiner is unable to access and review any of the references cited in the file history for either of the above-mentioned applications, he is courteously invited to contact the undersigned.

A copy of the PTO-1449 forms from the aforementioned application files comprises an attachment hereto to facilitate the Examiner's consideration. The attachment is intended as an aid to the Examiner in confirming the consideration of prior art from the above-mentioned application files.

Applicants hereby request any required extension of time not otherwise requested and hereby authorizes the Commissioner to charge any omitted fee required to effect entry of this Amendment, including application processing, extension, extra claims, statutory disclaimer, issue, and publication fees, to Deposit Account No. 06-1135 with reference to Order No. 7412-88137.

Respectfully submitted,  
**FITCH, EVEN, TABIN & FLANNERY**

**BY:**

/Kendrw H. Colton/

Kendrew H. Colton, #30,368

**Customer No. 42798**

One Lafayette Centre  
1120 - 20<sup>th</sup> Street, NW  
Suite 750, South  
Washington, DC 20036  
202-419-7000 (telephone) and 202-419-7007 (telecopier)